

Amendments to the Claims:

1. (Currently Amended) A system of controlling a flow of content, the system comprising:

a terminal ~~able of sending~~ configured to send a content status including terminal status information; and

a network entity comprising a ~~content flow manager~~ capable of receiving processor configured to receive the terminal status information and server status information regarding a source of content, wherein the server status information comprises a listing of at least one piece of content available from the source, ~~and wherein the content flow manager processor is capable of controlling~~ configured to control the flow of content to the terminal based upon the terminal status information and the server status information, and

wherein the at least one piece of content available from the source, and the content for which the processor is configured to control the flow, comprise multimedia content consumable by the terminal.

2. (Currently Amended) A system according to Claim 1, wherein the terminal comprises a memory, and wherein the ~~control flow manager processor~~ is capable of controlling configured to control the terminal to at least one of delete at least one piece of content from the memory of the terminal, ~~and or~~ download at least one piece of content from the source.

3. (Currently Amended) A system according to Claim 2, wherein the terminal status information comprises a listing of at least one piece of content stored in the memory of the terminal, and wherein the ~~control flow manager processor~~ is capable of controlling configured to control the terminal to delete at least one piece of content from the memory of the terminal based upon the listing of at least one piece of content stored in the memory of the terminal.

4. (Currently Amended) A system according to Claim 2, wherein the server status information comprises a listing of at least one piece of available content from the source, and

wherein the ~~control-flow-manager-processor~~ is ~~capable of controlling-configured to control~~ the terminal to download at least one piece of content from the source based upon the listing of at least one available piece of content from the source.

5. (Currently Amended) A system according to Claim 2, wherein the processor is ~~capable of determining-configured to determine~~ if the memory of the terminal includes at least one piece of content to delete, and wherein the ~~control-flow-manager-processor~~ is ~~capable of sending-configured to send~~ a response to the terminal instructing the terminal to delete at least one piece of content when the ~~control-flow-manager-processor~~ determines that the memory of the terminal includes at least one piece of content to delete.

6. (Currently Amended) A system according to Claim 5, wherein the ~~control-flow manager-processor~~ is further ~~capable of determining-configured to determine~~ if source includes at least one available piece of content for the terminal to download, and wherein the ~~control-flow manager-processor~~ is ~~capable of sending-configured to send~~ a response to the terminal instructing the terminal to download at least one available piece of content when the ~~control-flow-manager processor~~ determines that the source includes at least one available piece of content for the terminal to download.

7. (Currently Amended) ~~A terminal-~~An apparatus comprising:
a ~~memory-capable of storing at least one piece of content;~~
a controller ~~capable of sending-configured to send~~ a content status including terminal status information comprising a listing of at least one piece of content stored in ~~the a~~ memory configured to store at least one piece of content, wherein the controller is ~~capable of sending configured to send~~ the content request such that a network entity ~~can receive-receives~~ the terminal status inquiry and ~~control-controls~~ a flow of content to the terminal based upon the terminal status information, and
wherein the at least one piece of content stored in the memory, and the content for which the network entity is configured to control the flow, comprise multimedia content consumable by

the terminal.

8. (Currently Amended) ~~A terminal~~ An apparatus according to Claim 7, wherein the controller is ~~capable of sending configured to send~~ the content status such that the network entity ~~can instruct~~ instructs the controller to at least one of delete at least one piece of content from the memory of the terminal, and ~~or~~ download at least one piece of content from a source of content.

9. (Currently Amended) ~~A terminal~~ An apparatus according to Claim 8, and wherein the controller is ~~capable of sending configured to send~~ the content status such that the network entity ~~can instruct~~ instructs the controller to delete at least one piece of content from the memory of the terminal based upon the listing of at least one piece of content stored in the memory of the terminal.

10. (Currently Amended) ~~A terminal~~ An apparatus according to Claim 8, wherein the controller is ~~capable of sending configured to send~~ the content status such that the network entity ~~can instruct~~ instructs the controller to download at least one piece of content from the source based upon server status information comprising a listing of at least one available piece of content from the source.

11. (Currently Amended) ~~A terminal~~ An apparatus according to Claim 8, wherein the controller is ~~capable of sending configured to send~~ the content status such that the network entity ~~can determine~~ determines if the memory of the terminal includes at least one piece of content to delete, and ~~send~~ sends a response to the terminal instructing the controller to delete at least one piece of content when the network entity determines that the memory of the terminal includes at least one piece of content to delete.

12. (Currently Amended) ~~A terminal~~ An apparatus according to Claim 11, wherein the controller is ~~capable of sending configured to send~~ the content status such that the network entity ~~can further determine~~ determines if the source includes at least one available piece of

content for the terminal to download, and ~~sending~~ sends the response further indicating if the source includes at least one available piece of content, and wherein the controller is further ~~capable of downloading~~ configured to download the at least one available piece of content when the network entity determines that the source includes at least one available piece of content.

13. (Currently Amended) A method for controlling a flow of content, the method comprising:

~~sending~~ receiving a content status including terminal status information comprising a listing of at least one piece of content stored in a memory of the terminal;

~~receiving the terminal status information;~~ and

controlling the flow of content to the terminal based upon the terminal status information, wherein the at least one piece of content stored in the memory of the terminal, and the content for which the flow is controlled, comprise multimedia content consumable by the terminal.

14. (Currently Amended) A method according to Claim 13, wherein controlling a flow of content comprises controlling the terminal to at least one of delete at least one piece of content from the memory of the terminal, and ~~or~~ download at least one piece of content from a source of content.

15. (Original) A method according to Claim 14, and wherein controlling a flow of content comprises controlling the terminal to delete at least one piece of content from the memory of the terminal based upon the listing of at least one piece of content stored in the memory of the terminal.

16. (Original) A method according to Claim 14, wherein controlling a flow of content comprises controlling the terminal to download at least one piece of content from the source based upon server status information comprising a listing of at least one available piece of content from the source.

17. (Original) A method according to Claim 14, wherein controlling a flow of content comprises:

determining if the memory of the terminal includes at least one piece of content to delete; and

sending a response to the terminal instructing the terminal to delete at least one piece of content when the the memory of the terminal is determined to include at least one piece of content to delete.

18. (Original) A method according to Claim 17, controlling a flow of content further comprises:

determining if the source includes at least one available piece of content for the terminal to download,

wherein sending a response comprises sending a response to the terminal further instructing the terminal to download at least one available piece of content when the source is determined to include at least one available piece of content.

19. (Currently Amended) A computer program product for controlling a flow of content, the computer program product comprising a computer-readable storage medium having computer-readable program code portions stored therein, the computer-readable program code portions comprising:

a first executable portion ~~for receiving~~ configured to receive a content status including terminal status information comprising a listing of at least one piece of content stored in a memory of the terminal; and

a second executable portion ~~for controlling~~ configured to control the flow of content to the terminal based upon the terminal status information,

wherein the at least one piece of content stored in the memory of the terminal, and the content for which the flow is controlled, comprise multimedia content consumable by the terminal.

20. (Currently Amended) A computer program product according to Claim 19, wherein the second executable portion is ~~adapted~~configured to instruct the terminal to at least one of delete at least one piece of content from the memory of the terminal, and ~~or~~ download at least one piece of content from a source of content.

21. (Currently Amended) A computer program product according to Claim 20, wherein the second executable portion is ~~adapted~~configured to instruct the terminal to delete at least one piece of content from the memory of the terminal based upon the listing of at least one piece of content stored in the memory of the terminal.

22. (Currently Amended) A computer program product according to Claim 20, wherein the second executable portion is ~~adapted~~configured to instruct the terminal to download at least one piece of content from the source based upon server status information comprising a listing of at least one available piece of content from the source.

23. (Currently Amended) A computer program product according to Claim 20, wherein the second executable portion is ~~adapted~~configured to determine if the memory of the terminal includes at least one piece of content to delete, and send a response to the terminal instructing the terminal to delete at least one piece of content when the second executable portion determines the memory of the terminal includes at least one piece of content to delete.

24. (Currently Amended) A computer program product according to Claim 23, wherein the second executable portion is further ~~adapted~~configured to determine if the source includes at least one available piece of content for the terminal to download, and wherein the second executable portion is ~~adapted~~configured to send a response to the terminal further instructing the terminal to download at least one available piece of content when the second executable portion determines the source includes at least one available piece of content.